

CPWG Issues for the Standards Group

Item	Issue	Comments
012	In the refresh item list, there was a request by RES's to be able to ask for aggregate data even though there were interval meters present	6/17 - both ComEd and Ameren said they do not want to provide this option, and would rather send the level of information that is available. Left open for comments from those that were not in attendance at 6/17 meeting
013	Need standards group input on 820 issue with zero and negative amounts	6/17 - zero and negative amounts currently cause issues with Ameren and ComEd systems
019	Move Sync-up list request from refresh items list to standards group	6/17 - will not be handled by EDI. Leaving open for comments. Standards group to decide format and delivery mechanism.
020	Need standards group input on whether VEE usage data, billed usage, or both should be provided on the 867	6/17 - move to standards group. Utilities don't want to send both, since the data is the same for 99% of customers. Need RES input on which they prefer.
021	Need standards group input on sending pending finals to RES's	6/17 - move to standards group. How often RES's would want, is there a reinstate process if customer doesn't final, what are the triggers
022	Need standards group input on utilities keeping RES account numbers	6/24 - move to standards group - is there a need for this?
023	Need standards group input on whether the bill cycle should be passed on the 810	6/24 - move to standards group - is there a need for this?
024	Ameren needs to present how service point level data will flow to the billing or standards group	6/24 - impacts certain EDI transaction fields, including the 810 Rate Ready
025	Ameren needs to define how any adjustments or flat rate amounts would be handled in the 810 Rate Ready	6/24 - impacts the SAC 07,08,09 and whether they are required or conditional

Questions? Mike Vogelsang 630-684-2808 or michael.vogelsang@ComEd.com